Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Date of issue: 12/27/2013 Revision date: 01/22/2015 Version: 1.1

	e substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: Portland Cement 1-Kote Concentrate Stucco
Product code	: Not available
	e substance or mixture and uses advised against
Use of the substance/mixture	: Mortar mixes for construction use.
1.3. Details of the supplier of the s	afety data sheet
Precision Packaging Inc. or Materials Pack 10809 Executive Center Drive, Ste. 321 Little Rock, AR 72211 T 501-224-3882	caging Corporation
1.4. Emergency telephone number	
Emergency number	: CHEMTREC (800) 424-9300
SECTION 2: Hazards identificati	ion
2.1. Classification of the substance	
GHS-US classification	
Skin corrosion 1A Serious Eye Damage 1 Skin Sensitization 1 Carcinogenicity 1A Specific Target Organ Toxicity After Single	e Exposure 3
2.2. Label elements	
GHS-US labelling	
Signal word (GHS-US)	GHS05 GHS07 GHS08 : Danger
Hazard statements (GHS-US)	: Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation.
Prevention statements (GHS-US)	: Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Do not breathe dusts. Wash hands thoroughly after handling. Wear protective gloves and clothing as well as eye and face protection. Use only outdoors or in a well-ventilate area. Do not eat, drink or smoke when using this product.
Response statements (GHS-US)	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately a contaminated clothing. Rinse skin with water. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor if ingested or skin / eye irritation persists or worsens. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
Storage statements (GHS-US)	: Store to keep product dry until use. Store locked up.
Disposal statements (GHS-US)	: Dispose of contents and container in accordance with all local, state, and federal regulations.
Supplemental Information	Read and Follow all precautions listed in the Safety Data Sheet available on request or at Ashgrovepkg.com. Additional information on the selection and use of respirators can be found in the <i>NIOSH Respirator Selection Logic</i> (DHHS [NIOSH] Publication No. 2005-100) and the <i>NIOSH Guide to Industrial Respiratory Protection</i> (DHHS [NIOSH] Publication No. 87-116) available at http://www.cdc.gov/niosh/docs/87-116/ .
	This product contains greater than 0.1% crystalline silica. Crystalline silica has been linked to cancer, silicosis, and other lung problems in conditions of prolonged airborne over-exposure.
	Keep product dry until use. Avoid contact with bleed water from wet product. Clothing saturate with wet product can result in delayed, serious alkali skin burns.
2.3. Other hazards	
No additional information available.	
2.4. Unknown acute toxicity (GHS-	US)
	sists of ingredient(s) of unknown acute toxicity. ixture consists of ingredient(s) of unknown acute toxicity.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 3: Composition/information on ingredients

Substance 3.1.

Not applicable.

Name	Product identifier	%	GHS-US classification
Cement, portland, chemicals	(CAS No) 65997-15-1	86 - 95	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 STOT SE 3
Calcium hydroxide	(CAS No) 1305-62-0	12 ²	Skin Irrit. 2 Eye Dam. 1 STOT SE 3
Gypsum (Ca(SO4).2H2O)	(CAS No) 13397-24-5	3 - 8	Not classified
Magnesium oxide	(CAS No) 1309-48-4	0.5 - 7	Not classified
Limestone	(CAS No) 1317-65-3	≤ 5 ¹	Not classified
Calcium oxide	(CAS No) 1305-78-8	≤ 5	Acute Tox. 4 (Oral) Skin Irrit. 2 Eye Dam. 1 STOT SE 3
Flue dust, portland cement	(CAS No) 68475-76-3	≤ 4.6	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 STOT SE 3
Magnesium hydroxide	(CAS No) 1309-42-8	2.8 ²	Not classified.
Glass, oxide, chemicals	(CAS No) 65997-17-3	0.7 ²	Carc. 2
Quartz	(CAS No) 14808-60-7	≤ 0.3	Acute Tox. 4 (Oral) Carc. 1A STOT RE 1

² 1-Kote Concentrate Stucco

SECTION 4: First aid measures

4.1.	Description of first aid measures		
First-aid	measures after inhalation	:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice/attention.
First-aid	measures after skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing. Wash contaminated clothing before reuse. Get immediate medical advice/attention.
First-aid	measures after eye contact	:	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor.
First-aid	measures after ingestion	:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
4.2.	Most important symptoms and effe	cts, I	both acute and delayed
Sympto	ms/injuries after inhalation	:	May cause respiratory tract irritation.
Sympton	ns/injuries after skin contact	:	Causes severe skin burns. Symptoms may include redness, pain, blisters. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. May cause sensitisation by skin contact.
Sympto	ms/injuries after eye contact	:	Causes serious eye damage. May cause burns. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Sympto	ms/injuries after ingestion	:	May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
4.3.	Indication of any immediate medica	l att	ention and special treatment needed
Symptor	ns may not appear immediately. In case o	facci	dent or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
SECT	ON 5: Firefighting measures		
5.1.	Extinguishing media		
Suitable	extinguishing media	:	Treat for surrounding material.
5.2. Special hazards arising from the substance or mixture			

Fire ha	zard	: Product does not burn; however its packaging may. Products of combustion may include, and are not limited to: oxides of carbon.
5.3.	Advice for firefighters	
Firefigh	nting instructions	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures		
6.1.	Personal precautions, protective ed	quipment and emergency procedures
General r	neasures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Avoid contact with skin and eyes.

Safety Data Sheet according to the Hazard Commun

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

cording to the Hazard Communication	on Standard (CFR29 1910.1200) Ha	azCom 2012.	
6.2. Methods and materia	al for containment and cleaning	ng up	
For containment			e container. Do not flush to sewer or allow to enter al Protective Equipment (PPE).
Methods for cleaning up	: Vacuum	or sweep material and place	e in a disposal container. Provide ventilation.
6.3. Reference to other s	ections		
No additional information availa	ole.		
SECTION 7: Handling a	nd storage		
7.1. Precautions for safe	handling		
Precautions for safe handling	housekee cleaning When usi	eping is important to preven clothing, equipment, etc, is ing do not eat, drink or smo	
Hygiene measures		-	re reuse. Wash hands before eating, drinking, or smoking
	storage, including any incom		
Storage conditions	constructio		id any dust buildup by frequent cleaning and suitable ot store in an area equipped with emergency water omptly.
7.3. Specific end use(s)			
No additional information availa	ole.		
SECTION 8: Exposure c	ontrols/personal protec	tion	
3.1. Control parameters			
Cement, portland, chemicals	; (65997-15-1)		
USA ACGIH	ACGIH TWA (mg/m ³)		1 mg/m ³ (no asbestos and <1% crystalline silica, respirable fraction)
USA OSHA	OSHA PEL (TWA) (mg/m³)		15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)
Calcium hydroxide (1305-62-	0)		
ACGIH	ACGIH TWA (mg/m ³)		5 mg/m³
OSHA	OSHA PEL (TWA) (mg/m ³)		15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
Gypsum (Ca(SO4).2H2O) (13	397-24-5)		
USA ACGIH	ACGIH TWA (mg/m ³)		10 mg/m ³ (inhalable fraction)
USA OSHA	OSHA PEL (TWA) (mg/m ³)		15 mg/m ³ (total dust)
			5 mg/m ³ (respirable fraction)
Magnesium oxide (1309-48-4)		
USA ACGIH	ACGIH TWA (mg/m ³)		10 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m ³) 15 mg/m ³		
Limestone (1317-65-3)			
USA ACGIH	Not applicable		
USA OSHA	OSHA PEL (TWA) (mg/m ³) 5 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)		
Calcium oxide (1305-78-8)			
USA ACGIH	ACGIH TWA (mg/m ³)		2 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)		5 mg/m ³

USA OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m³		
Flue dust, portland cement (68475-76-3)				
ACGIH	ACGIH TLV (mg/m ³)	10 mg/m ³ (as inhalable fraction, PNOS) 3 mg/m ³ (as respirable fraction, PNOS)		
OSHA	OSHA PEL (mg/m³)	15 mg/m³ (as total dust, PNOR) 5 mg/m³ (as respirable fraction, PNOR)		

Magnesium hydroxide (1309-42-8)	
ACGIH	Not applicable
OSHA	Not applicable

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Glass, oxide, chemicals (65997-17-3)			
ACGIH	Not applicable		
OSHA	Not applicable		
Quartz (14808-60-7)			
USA ACGIH	ACGIH TWA (mg/r	m³)	0.025 mg/m ³
USA OSHA	OSHA PEL (TWA)	(mg/m3)	$\begin{array}{l} (10 \text{ mg/m}^3)/(\%\text{SiO}_2+2) \text{ (respirable fraction)} \\ (30 \text{ mg/m}^3)/(\%\text{SiO}_2+2) \text{ (dust)} \\ (250)/(\%\text{SiO}_2+5) \text{ mppcf (respirable fraction)} \end{array}$
8.2. Exposure controls			
Appropriate engineering controls	s :	Use ventilation adequate to keep ex recommended exposure limits.	xposures (airborne levels of dust, fume, vapor, etc.) below
Hand protection	:	Wear suitable gloves.	
Eye protection	:	Wear approved eye protection (prop and face protection (face shield).	perly fitted dust- or splash-proof chemical safety goggles)
Skin and body protection	:	Wear suitable protective clothing.	
Respiratory protection	:	when permissible exposure limits may under the direction of a trained health a	ing facepiece is recommended in poorly ventilated areas or be exceeded. Respirators should be selected by and used and safety professional following requirements found in OSHA's) and ANSI's standard for respiratory protection (Z88.2).
Environmental exposure control	s :	Maintain levels below Community e	environmental protection thresholds.
Other information	:	Handle according to established inc	dustrial hygiene and safety practices.

9.1. Information on basic physical and	d chemical properties
Physical state	: Solid
Appearance	: Powder.
Colour	: Grey.
Odour	: Odourless.
Odour threshold	: No data available.
рН	: 12 - 13 (Highly alkaline when wet.)
Relative evaporation rate (butylacetate=1)	: No data available.
Melting point	: No data available.
Freezing point	: No data available.
Boiling point	: No data available.
Flash point	: No data available.
Self ignition temperature	: No data available.
Decomposition temperature	: No data available.
Flammability (solid, gas)	: Not flammable.
Vapour pressure	: No data available.
Relative vapour density at 20 °C	: No data available.
Relative density	: 2.8 - 3.1 (Water = 1)
Solubility	: Slight. (Water: 0.1 - 1 %)
Log Pow	: No data available.
Log Kow	: No data available.
Viscosity, kinematic	: No data available.
Viscosity, dynamic	: No data available.
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available.
9.2. Other information	
VOC content	: No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use. An alkali reaction from components of portland cement will corrode aluminum.

10.2. Chemical stability

Stable under normal storage conditions. Keep dry in storage.

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

10.3. Possibility of hazardous reactions		
No dangerous reaction known under conditions of normal use. Do not mix with other chemcals.		
10.4. Conditions to avoid		
Moisture – product must be kept dry until ready to use.		
10.5. Incompatible materials		
None known.		
10.6. Hazardous decomposition products		
None known.		
SECTION 11: Toxicological information	on	
11.1. Information on toxicological effects		
Acute toxicity	: Not classified.	
Portland Cement; 1-Kote Concentrate Stucco		
LD50 oral rat	> 2000 mg/kg, rat	
LD50 dermal rabbit	> 2000 mg/kg, rabbit	
LC50 inhalation rat	No data available	
Calcium hydroxide (1305-62-0)	·	
LD50 oral rat	7340 mg/kg	
	ro ro many	
Magnesium oxide (1309-48-4)		
LD50 oral rat	>5000 mg/kg	
Limestone (1317-65-3)		
LD50 oral rat	6450 mg/kg	
Calcium oxide (1305-78-8)		
LD50 oral rat	> 2000 mg/kg	
Flue dust, portland cement (68475-76-3)		
LD50 dermal rabbit	≥ 2000 mg/kg	
LC50 inhalation rat	>6.04 mg/l/4h	
Magnesium hydroxide (1309-42-8)		
LD50 oral rat	8500 mg/kg	
Skin corrosion/irritation	: Causes severe skin burns.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.	
Carcinogenicity	: May cause cancer.	
Glass, oxide, chemicals (65997-17-3)		
National Toxicology Program (NTP) Status	3 - Reasonably Anticipated To Be Human Carcinogens	
Quartz (14808-60-7)		
IARC group	1 - Carcinogenic to humans	
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens	
Reproductive toxicity	: Based on available data, the classification criteria are not met.	
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met.		
Aspiration hazard	: Based on available data, the classification criteria are not met.	
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.	
Symptoms/injuries after skin contact	: Causes severe skin burns. Symptoms may include redness, pain, blisters. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. May cause sensitisation by skin contact.	
Symptoms/injuries after eye contact	: Causes serious eye damage. May cause burns. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.	
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.	
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.	

Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: No ecological consideration when used according to directions. Do not flush to sewer or allow to enter waterways.
12.2. Persistence and degradability	
Portland Cement; 1-Kote Concentrate Stucco	
Persistence and degradability	No data available.
12.3. Bioaccumulative potential	
Portland Cement; 1-Kote Concentrate Stucco	
Bioaccumulative potential	No data available.
12.4. Mobility in soil	
Portland Cement; 1-Kote Concentrate Stucco	
Ecology - soil	No data available.
12.5. Other adverse effects	
Other adverse effects	: No data available.
SECTION 12: Disposal consideration	
SECTION 13: Disposal consideration	
Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal
	regulations.
SECTION 14: Transport information	
In accordance with DOT	
Not regulated for transport.	
Additional information	
Other information	: No supplementary information available.
SECTION 15: Regulatory information	
15.1. US Federal regulations	
All components of this product are listed, or excl Substances Control Act (TSCA) inventory except	uded from listing, on the United States Environmental Protection Agency Toxic t for:
Gypsum (Ca(SO4).2H2O)	CAS No 13397-24-5
45.2. LIC State regulations	
15.2. US State regulations	
Portland Cement; 1-Kote Concentrate Stucco State or local regulations	This product contains Crystalline Silica, Quartz and may also contain trace amounts of
	other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.
SECTION 16: Other information	
Date of issue	: 12/27/2013
Revision date	: 01/22/2015
Version	: 1.1
Data sources	: SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
	\checkmark

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product