Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 Date of issue: 03/30/2015 Revision date: 03/30/2015

Version: 1.0

1.1. Product identifier	
Due du et a ene e	
Product name	: Flex Base Grey Pro Self-Leveling Wear Topping Pro Self-Leveling Wear Topping White
	Self-Leveling Underlayment
Product code	: Not available
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Construction and repair materials.
1.3. Details of the supplier of the s	afety data sheet
Precision Packaging Inc. or Materials Pack 10809 Executive Center, Suite 321 Little Rock, AR 72211 - USA T 501-224-3882	aging
1.4. Emergency telephone number	
Emergency number	: CHEMTREC (800) 424-9300
SECTION 2: Hazards identificati	on
2.1. Classification of the substance	e or mixture
GHS-US classification	
Skin corrosion 1B	
Serious Eye Damage 1	
Skin Sensitization 1	
Carcinogenicity 1A	
Specific Target Organ Toxicity After Single	
Specific Target Organ Toxicity After Repea	ted Exposure 1
0.0 Labelalar (
2.2. Label elements	
GHS-US labelling	
GHS-US labelling Hazard pictograms (GHS-US)	HS05 GHS07 GHS08
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US)	: Danger
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US)	: Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	: Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	: Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or repeated exposure.
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	: Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or repeated exposure. Keep out of reach of children. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dusts or mists. Wear protective gloves and clothing as well as eye and face protection. Wash contaminated work clothing before reuse.
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	: Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or repeated exposure. Keep out of reach of children. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dusts or mists. Wear protective gloves and clothing as well as eye and face protection. Wash contaminated work clothing before reuse. Obtain special instructions before use. Do not handle until all safety precautions have been
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Prevention statements (GHS-US)	: Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or repeated exposure. Keep out of reach of children. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dusts or mists. Wear protective gloves and clothing as well as eye and face protection. Wash contaminated work clothing before reuse. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Prevention statements (GHS-US)	: Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or repeated exposure. Keep out of reach of children. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dusts or mists. Wear protective gloves and clothing as well as eye and face protection. Wash contaminated work clothing before reuse. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. If exposed or concerned: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Prevention statements (GHS-US)	: Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or repeated exposure. Keep out of reach of children. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dusts or mists. Wear protective gloves and clothing as well as eye and face protection. Wash contaminated work clothing before reuse. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
	 Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or repeated exposure. Keep out of reach of children. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dusts or mists. Wear protective gloves and clothing as well as eye and face protection. Wash contaminated work clothing before reuse. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. If exposed or concerned: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Prevention statements (GHS-US)	 Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or repeated exposure. Keep out of reach of children. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dusts or mists. Wear protective gloves and clothing as well as eye and face protection. Wash contaminated work clothing before reuse. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. If exposed or concerned: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If on skin (or hair): The other show is a start of the shore the set of the shore the set of the
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Prevention statements (GHS-US)	 Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or repeated exposure. Keep out of reach of children. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dusts or mists. Wear protective gloves and clothing as well as eye and face protection. Wash contaminated work clothing before reuse. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. If exposed or concerned: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes; Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Prevention statements (GHS-US)	 Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or repeated exposure. Keep out of reach of children. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dusts or mists. Wear protective gloves and clothing as well as eye and face protection. Wash contaminated work clothing before reuse. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. If exposed or concerned: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If inhaled: Remove person to do. Continue rinsing. Immediately call a poison center/doctor. If inhaled: Remove person to do.
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Prevention statements (GHS-US) Response statements (GHS-US)	 Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or repeated exposure. Keep out of reach of children. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dusts or mists. Wear protective gloves and clothing as well as eye and face protection. Wash contaminated work clothing before reuse. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. If exposed or concerned: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Prevention statements (GHS-US) Response statements (GHS-US)	 Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or repeated exposure. Keep out of reach of children. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dusts or mists. Wear protective gloves and clothing as well as eye and face protection. Wash contaminated work clothing before reuse. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. If exposed or concerned: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store to keep product dry. Store to prevent dust generation.
GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Prevention statements (GHS-US) Response statements (GHS-US)	 Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to lungs through prolonged or repeated exposure. Keep out of reach of children. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dusts or mists. Wear protective gloves and clothing as well as eye and face protection. Wash contaminated work clothing before reuse. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. If exposed or concerned: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.

Ashgrovepkg.com. Additional information on the selection and use of respirators can be found in the *NIOSH Respirator Selection Logic* (DHHS [NIOSH] Publication No. 2005-100) and the *NIOSH Guide to Industrial Respiratory Protection* (DHHS [NIOSH] Publication No. 87-116)

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

available at http://www.cdc.gov/niosh/docs/87-116/.

This product contains greater than 0.1% crystalline silica. Crystalline silica has been linked to cancer, silicosis, and other lung problems in conditions of prolonged airborne over-exposure.

Keep product dry until use. Avoid contact with bleed water from wet product. Clothing saturated with wet product can result in delayed, serious alkali skin burns.

2.3. Other hazards

Other hazards not contributing to the classification : Not applicable.

2.4. Unknown acute toxicity (GHS US)

Self-Leveling Underlayment: 21 percent of the mixture consists of ingredient(s) of unknown acute toxicity.

Flex Base Grey: 36 percent of the mixture consists of ingredient(s) of unknown acute toxicity.

Pro Self-Leveling Wear Topping, Pro Self-Leveling Wear Topping White: 38 percent of the mixture consists of ingredient(s) of unknown acute toxicity.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable.

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Quartz	(CAS No) 14808-60-7	44 - 56	Carc. 1A STOT RE 1
Cement, portland, chemicals	(CAS No) 65997-15-1	19.5 - 35	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 STOT SE 3
Plaster of Paris	(CAS No) 26499-65-0	32.7 ¹	Not classified.
Limestone	(CAS No) 1317-65-3	1 - 10	Not classified.
Ashes, residues	(CAS No) 68131-74-8	5 ²	Not classified.
Gypsum (Ca(SO4).2H2O)	(CAS No) 13397-24-5	1.5 - 3	Not classified.
Magnesium oxide (MgO)	(CAS No) 1309-48-4	1.4 - 2.6	Not classified.
Calcium oxide	(CAS No) 1305-78-8	0.7 - 2.1	Skin Corr. 1C
Flue dust, portland cement	(CAS No) 68475-76-3	0.5 - 1.1 ³	Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 STOT SE 3

² Flex Base Grey

³ Pro Self-Leveling Wear Topping, Pro Self-Leveling Wear Topping White, Self-Leveling Underlayment

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice/attention.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing. Wash contaminated clothing before reuse. Get immediate medical advice/attention.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: Causes severe skin burns. Symptoms may include redness, pain, blisters. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. May cause sensitization by skin contact.
Symptoms/injuries after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
4.3. Indication of any immediate medical	attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

Toppings Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECT	ION 5: Firefighting measures	
5.1.	Extinguishing media	
Suitable	e extinguishing media	: Treat for surrounding material.
Unsuita	able extinguishing media	: None known.
5.2.	Special hazards arising from the sub	stance or mixture
Fire ha	zard	: Product does not burn; however its packaging may. Products of combustion may include, and are not limited to: oxides of carbon.
5.3.	Advice for firefighters	
Firefigh	ting instructions	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
SECT	ION 6: Accidental release meas	ures
6.1.	Personal precautions, protective equ	ipment and emergency procedures
Genera	Il measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Avoid contact with skin and eyes.
6.2.	Methods and material for containme	nt and cleaning up
For cor	ntainment	: Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Method	ls for cleaning up	: Vacuum or sweep material and place in a disposal container. Provide ventilation.
6.3.	Reference to other sections	
No add	itional information available.	
SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
Precau	tions for safe handling	: Avoid contact with skin and eyes. Avoid generating and breathing dust. Do not swallow. Good housekeeping is important to prevent accumulation of dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. Handle and open container with care. When using do not eat, drink or smoke.
Hygien	e measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2.	Conditions for safe storage, includin	g any incompatibilities
Storage	e conditions	: Keep out of the reach of children. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Store to keep product dry until use. Store to prevent dust generation. Do not store in an area equipped with emergency water sprinklers. Clean up spilled material promptly.
7.3.	Specific end use(s)	

No additional information available.

SECTION 8: Exp	osure controls/personal protection			
8.1. Control parameters				
Quartz (14808-60-7)	· · · · · · · · · · · · · · · · · · ·			
ACGIH ACGIH TWA (mg/m ³) 0.025 mg/m ³ (respirable fraction)		0.025 mg/m ³ (respirable fraction)		
OSHA OSHA PEL (TWA) (mg/m³) (30)/(%SiO2 + 2) mg/m³ (total dust) ; (250)/(%SiO2 + 5) mppcf (respirable fraction) ; (10)/(%SiO2 + 2) mg/m³ (respirable fraction) ;		(250)/(%SiO2 + 5) mppcf (respirable fraction);		
Cement, portland, o	hemicals (65997-15-1)			
ACGIH ACGIH TWA (mg/m ³) 1 mg/m ³ (respirable fraction)		1 mg/m ³ (respirable fraction)		
OSHA	SHA OSHA PEL (TWA) (mg/m³) 15 mg/m³ (total dust) ; 5 mg/m³ (respirable fraction)			
Plaster of Paris (264	Plaster of Paris (26499-65-0)			
ACGIH	Not applicable			
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m³ (total dust) ; 5 mg/m³ (respirable fraction)		
Limestone (1317-65	j-3)			
ACGIH	Not applicable	10 mg/m³ (total dust) ;		

Toppings Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Limestone (1317-65-3)			
OSHA	OSHA PEL (TWA) (mg/m³) 15 mg/m³ (total dust) ; 5 mg/m³ (respirable fraction)		15 mg/m ³ (total dust) ; 5 mg/m ³ (respirable fraction)
Ashes, residues (68131-74-	-8)		
ACGIH	ACGIH TLV (mg/m ³) 10 mg/m ³ (as inhalable fraction, PNOS) ; 3 mg/m ³ (as respirable fraction, PNOS)		
OSHA	OSHA PEL (mg/m ³) 15 mg/m ³ (as total dust, PNOR) ; 5 mg/m ³ (as respirable fraction, PNOR)		
Gypsum (Ca(SO4).2H2O) (1	13397-24-5)		
ACGIH	ACGIH TWA (mg/r	m³)	10 mg/m ³ (inhalable fraction)
OSHA	OSHA PEL (TWA)	(mg/m³)	15 mg/m ³ (total dust) ; 5 mg/m ³ (respirable fraction)
Magnesium oxide (MgO) (1	309-48-4)		
ACGIH	ACGIH TWA (mg/r	m ³)	10 mg/m ³ (inhalable fraction)
OSHA	OSHA PEL (TWA)	(mg/m³)	15 mg/m ³ (fume, total particulate)
Calcium oxide (1305-78-8)			
ACGIH	ACGIH TWA (mg/r	m³)	2 mg/m ³
OSHA	OSHA PEL (TWA) (mg/m ³) 5 mg/m ³		5 mg/m ³
Flue dust, portland cement	t (68475-76-3)		
ACGIH	ACGIH TLV (mg/m	ACGIH TLV (mg/m ³) 10 mg/m ³ (as inhalable fraction, PNOS) ; 3 mg/m ³ (as respirable fraction, PNOS)	
OSHA	OSHA PEL (mg/m	OSHA PEL (mg/m ³) 15 mg/m ³ (as total dust, PNOR) ; 5 mg/m ³ (as respirable fraction, PNOR)	
8.2. Exposure controls			
Appropriate engineering contro	ols :	Use ventilation adequate to keep experience in the second exposure limits.	osures (airborne levels of dust, fume, vapor, etc.) below
Hand protection		Wear suitable gloves.	
Eye protection		 Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield). 	
Skin and body protection : Wear suitable clothing common to do-it-yourself projects.		-it-yourself projects.	
Respiratory protection		: A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).	
Environmental exposure controls : Maintain levels below Community environmental protection thresholds.		vironmental protection thresholds.	
Other information			ial hygiene and safety practices. Do not eat, smoke or drink r stored. Wash hands carefully before eating or smoking.
SECTION 9: Physical a	nd chemical pro	perties	
9.1. Information on bas	ic physical and cher	nical properties	
Physical state	:	Dry powder mix.	
Appearance	:	Fine to coarse granules	
Colour		Crow	

: Fine to coarse granules
: Gray
: No odor
: No data available
: 10 - 12 (Highly alkaline when wet.)
: No data available
: Not flammable

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: 2.8 - 3
Relative vapour density at 20 °C	: No data available
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

VOC content

: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use. An alkali reaction from components of portland cement will corrode aluminum.

10.2. **Chemical stability**

Stable under normal storage conditions. Keep dry in storage.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use. Do not mix with other chemicals.

10.4. **Conditions to avoid**

Moisture - product must be kept dry until ready to use.

Incompatible materials 10.5.

None known.

Hazardous decomposition products 10.6.

None known.

SECTION 11: Toxicological information

11.1.	Information on toxicological effects		
Acute tox	ticity	:	Not classified.

Toppings		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	No data available.	
LC50 inhalation rat	No data available.	
Limestone (1317-65-3)		
LD50 oral rat	6450 mg/kg	
Ashes, residues (68131-74-8)		
LD50 oral rat	> 2000 mg/kg	
Magnesium oxide (MgO) (1309-48-4)		
LD50 oral rat	>5000 mg/kg	
Calcium oxide (1305-78-8)		
LD50 oral rat	> 2000 mg/kg	
Flue dust, portland cement (68475-76-	-3)	
LD50 dermal rat	> 2000 mg/kg	
LC50 inhalation rat	>6.04 mg/l/4h	
Skin corrosion/irritation	: Causes severe skin burns.	
03/30/2015	EN (English)	5/7

Toppings Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

according to the Hazard Communication Standard (CFR2	3 1310.1200/ Hazdon 2012		
Serious eye damage/irritation	: Causes serious eye damage.		
Respiratory or skin sensitisation	: May cause an allergic skin reaction.		
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.		
Carcinogenicity	: May cause cancer.		
Quartz (14808-60-7)			
IARC group	1 - Carcinogenic to humans		
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens		
Reproductive toxicity	: Based on available data, the classification criteria are not met.		
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.		
Specific target organ toxicity (repeated exposure)	: Causes damage to organs through prolonged or repeated exposure. (Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.)		
Aspiration hazard	: Based on available data, the classification criteria are not met.		
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.		
Symptoms/injuries after skin contact	: Causes severe skin burns. Symptoms may include redness, pain, blisters. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. May cause sensitization by skin contact.		
Symptoms/injuries after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.		
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.		
SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general	: No ecological consideration when used according to directions Do not flush to sewer or allow to enter waterways.		
	-		
12.2. Persistence and degradability			
12.2. Persistence and degradability Toppings			
	No data available.		
Toppings Persistence and degradability	No data available.		
Toppings Persistence and degradability 12.3. Bioaccumulative potential	No data available.		
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings	No data available.		
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential			
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential 12.4. Mobility in soil			
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential 12.4. Mobility in soil Toppings	No data available.		
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential 12.4. Mobility in soil			
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential 12.4. Mobility in soil Toppings	No data available.		
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential 12.4. Mobility in soil Toppings Ecology - soil	No data available.		
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential 12.4. Mobility in soil Toppings Ecology - soil 12.5. Other adverse effects	No data available. No data available. No data available. No known ecological damage caused by this product.		
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential 12.4. Mobility in soil Toppings Ecology - soil 12.5. Other adverse effects Effect on the global warming	No data available. No data available. No data available. No known ecological damage caused by this product.		
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential 12.4. Mobility in soil Toppings Ecology - soil 12.5. Other adverse effects Effect on the global warming SECTION 13: Disposal consideration	No data available. No data available. No data available. No known ecological damage caused by this product.		
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential 12.4. Mobility in soil Toppings Ecology - soil 12.5. Other adverse effects Effect on the global warming SECTION 13: Disposal consideration 13.1. Waste treatment methods	No data available. No data available. No data available. : No known ecological damage caused by this product. IS : This material must be disposed of in accordance with all local, state, provincial, and federal		
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential Bioaccumulative potential 12.4. Mobility in soil Toppings Ecology - soil 12.5. Other adverse effects Effect on the global warming SECTION 13: Disposal consideration 13.1. Waste disposal recommendations SECTION 14: Transport information	No data available. No data available. No data available. : No known ecological damage caused by this product. IS : This material must be disposed of in accordance with all local, state, provincial, and federal		
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential Bioaccumulative potential 12.4. Mobility in soil Toppings Ecology - soil 12.5. Other adverse effects Effect on the global warming SECTION 13: Disposal consideration 13.1. Waste disposal recommendations SECTION 14: Transport information Department of Transportation (DOT) 1000	No data available. No data available. No data available. : No known ecological damage caused by this product. IS : This material must be disposed of in accordance with all local, state, provincial, and federal		
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential Bioaccumulative potential 12.4. Mobility in soil Toppings Ecology - soil 12.5. Other adverse effects Effect on the global warming SECTION 13: Disposal consideration 13.1. Waste treatment methods Waste disposal recommendations SECTION 14: Transport information Department of Transportation (DOT) In accordance with DOT 13.1.	No data available. No data available. No data available. : No known ecological damage caused by this product. IS : This material must be disposed of in accordance with all local, state, provincial, and federal		
Toppings Persistence and degradability 12.3. Bioaccumulative potential Toppings Bioaccumulative potential Bioaccumulative potential 12.4. Mobility in soil Toppings Ecology - soil 12.5. Other adverse effects Effect on the global warming SECTION 13: Disposal consideration 13.1. Waste disposal recommendations SECTION 14: Transport information Department of Transportation (DOT) Department of Transportation (DOT)	No data available. No data available. No data available. : No known ecological damage caused by this product. IS : This material must be disposed of in accordance with all local, state, provincial, and federal		

: No supplementary information available.

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

CAS No 13397-24-5	
Plaster of Paris CAS No 26499-65-0	
This product contains Crystalline Silica, Quartz and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.	

Date of issue : 03/30/2015
Other information : None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.